

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S80	3	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:48
S81	1	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption) and battery and (data with retriever)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 07:50
S82	3	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (net with power with consumption) and battery and (power near2 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:02
S83	162	(manag\$6 with power with data) and ((power with data with suppl\$4 with (computer CPU (operating adj system) microcomputer microprocessor)) same battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:05
S84	79	S83 and (power with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:06
S85	5	S84 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 09:08
S86	5	S85 and (time adj period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S87	162	(manag\$6 with power with data) and ((power with data with suppl\$4 with (computer CPU (operating adj system) microcomputer microprocessor)) same battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03

S88	79	S87 and (power with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S89	5	S88 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S90	5	S89 and (time adj period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:03
S91	3	S90 and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:06
S92	3	S91 and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 11:06
S93	162	(manag\$6 with power with data) and ((power with data with suppl\$4 with (computer CPU (operating adj system) microcomputer microprocessor)) same battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:07
S94	79	S93 and (power with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S95	5	S94 and (amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11

S96	5	S95 and (time adj period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S97	3	S96 and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S98	3	S97 and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:11
S99	1	S98 and (amount near1 power near1 used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:13
S10 0	1	(application with amount with power with used) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/19 13:14
S10 1	4	(application same (amount with power with used)) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:53
S10 2	2	(application with manag\$6 with power with suppl\$4) and (amount with power with used) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:17
S10 3	0	(application with manag\$6 with power with suppl\$4) and (amount with power with (run\$4 execut\$3) with application) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:18

S10 4	0	(application with manag\$6 with power with suppl\$4) and (amount with power with (run\$4 execut\$4) with application) and (smart with battery) and (period with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:19
S10 5	0	(application with manag\$6 with power with suppl\$4) and (amount with power with (run\$4 execut\$4) with application) and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:19
S10 6	2	(application with manag\$6 with power with suppl\$4) and (power with (run\$4 execut\$4) with application) and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:58
S10 7	2	S106 and (amount with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 09:20
S10 8	4	(power with evaluat\$3) same (application with manag\$6 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:56
S10 9	37	(power with evaluat\$3) and (application with manag\$6 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:09
S11 0	23	S109 and (application with evaluat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 10:57
S11 1	7	S110 and (smart with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:01

S11 2	8	S110 and (power with suppl\$4) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:02
S11 3	32	(manag\$6 with power with data) and (power with data with suppl\$4) and (power with evaluat\$4) and (computer CPU (operating adj system) microcomputer microprocessor) and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:57
S11 4	3	S113 and ((run\$4 execut\$4) with application with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:17
S11 5	3	S114 and ((amount calculat\$3) with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 11:18
S11 6	46	(manag\$6 with power with data) and (determin\$3 with amount with power with used)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:26
S11 7	25	S116 and (power with data with suppl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:08
S11 8	2	S117 and (application with manag\$6 with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:10
S11 9	4	S117 and (application with manag\$6 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:12

S12 0	2	S117 and (power with management with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:15
S12 1	4	S117 and (power with manag\$4 with software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:23
S12 2	0	S121 and (time with period)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:23
S12 3	1	S117 and (power with manag\$4 with application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:21
S12 4	1	S121 and (evaluat\$4 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:24
S12 5	36	(manag\$6 with power with data) and (determin\$3 with amount with power with used) and (time with period) and (software application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:31
S12 6	3	S125 and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:27
S12 7	44	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (software application) and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:32

S128	20	S127 and ((run\$4 execut\$4) with (application software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:34
S129	3	S128 and (evaluat\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S130	1	S116 and (update with frequency with power with data) and sufficient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:45
S131	1	S116 and (update with frequency with power with data) and (power with data with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:47
S132	1	S116 and (update with power with data) and (power with data with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:46
S133	1	S116 and (update with frequency with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:47
S134	3	S116 and (update with power with (satisfactory enough sufficient adequate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 12:47
S135	1	(manag\$6 with power with data) and (power with data with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and granularity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:58

S13 6	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and granularity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:01
S13 7	10	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and (application software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:59
S13 8	1	S137 and (evaluat\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 13:59
S13 9	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and granular\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:03
S14 0	2	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (computer CPU (operating adj system) microcomputer microprocessor) and (updat\$2 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:04
S14 1	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and ((application software) with power) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:06
S14 2	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (application software) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:06
S14 3	1	(manag\$6 with power with data) and (power with suppl\$4) and (systematic with error) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:07

S14 4	1	(manag\$6 with power with data) and (systematic with error) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:07
S14 5	1	(manag\$6 with power) and (systematic with error) and (updat\$2 with frequency with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:08
S14 6	3	(manag\$6 with power) and (systematic with error) and (updat\$2 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:02
S14 7	1	(power with consumption) and ((systematic with error) same (updat\$2 with frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:10
S14 8	3	(manag\$6 with power) and (systematic with error) and (updat\$3 with frequency)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:22
S14 9	6	(manag\$6 with power) and (systematic with error) and (power with consumption) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:24
S15 0	5	(manag\$6 with power with data) and (systematic with error) and (power with consumption) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:25
S15 1	5	(manag\$6 with power with data) and (systematic with error) and (application with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:43

S15 2	151	(manag\$6 with power with data) and (system with error) and (application with power with data) and (power with suppl\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:44
S15 3	5	S152 and (updat\$3 with frequency with power with data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:44
S15 4	44	(manag\$6 with power with data) and (amount with power with used) and (time with period) and (software application) and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:48
S15 5	20	S154 and ((run\$4 execut\$4) with (application software))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S15 6	1	S155 and (evaluat\$3 with power) and (system with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:46
S15 7	5	S155 and (system with error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:47
S15 8	2	S152 and (amount with power with used) and (software application) and (power with suppl\$4 with battery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 15:49
S15 9	4	(manag\$6 with power with data) and ((system with error) same (updat\$2 with frequency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:05

S16 0	4	(manag\$6 with power with system) and ((system with error) same (updat\$2 with frequency with power with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:08
S16 1	4	(manag\$6 with power with system) and ((system with error) same (updat\$2 with frequency) same (power with data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/20 17:08